

	·	
Notice of Allowability	Application No.	Applicant(s)
	10/729,810	ABBASI ET AL.
	Examiner	Art Unit
	Alfred Basichas	3749
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap) or other appropriate communication (IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. $igotimes$ This communication is responsive to <u>application filed 12/5</u>	<u>/03</u> .	
2. ☑ The allowed claim(s) is/are <u>1-15</u> .		
3. $igotimes$ The drawings filed on <u>05 December 2003</u> are accepted by	the Examiner.	
 4. ☐ Acknowledgment is made of a claim for foreign priority unallocations. a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents. 3. ☐ Copies of the certified copies of the priority documents. International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv 		
 CORRECTED DRAWINGS (as "replacement sheets") mu (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR action sheet. Replacement sheet(s) should be labeled as such in the sheet of the sheet the shee	son's Patent Drawing Review (PTO 's Amendment / Comment or in the C	Office action of
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATERIAL I FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 12/5/03 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☐ Examiner's Amendo	te .
	ALFRE PRIMAR	Y EXAMINER

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

Applicants claim, among other things, a primary combustion stage including at least one outer wall forming an apparatus including an oxidant chamber having a primary oxidant inlet connected to an oxidant supply conduit and a primary oxidant outlet and at least one inner wall forming a fuel chamber disposed within the oxidant chamber having a primary fuel inlet and a primary fuel outlet oriented in a direction of the primary oxidant outlet, forming a primary annular space between the at least one outer wall and the at least one inner wall, a pre-combustor stage comprising at least one outer pre-combustor wall forming a precombustor fuel chamber having a pre-combustor fuel inlet and at least one inner pre-combustor wall forming a pre-combustor oxidant chamber having a pre-combustor oxidant inlet disposed within the pre-combustor fuel chamber and forming a pre-combustor annular space between the at least one outer pre-combustor wall and the at least one inner precombustor wall, the at least one inner pre-combustor wall forming a plurality of pre-combustor fuel outlets, providing fluid communication between the pre-combustor annular space and the pre-combustor oxidant chamber, and a pre-combustor oxidant supply conduit having one end

connected to the oxidant supply conduit and an opposite end connected to the pre-combustor oxidant inlet, providing fluid communication between the oxidant supply conduit and the pre-combustor oxidant chamber.

Prior Art

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Rabovitser, Abbasi, Khinkis, and Schimer all disclose burners reflecting the general background of the art. Nevertheless, the prior art of record, taken alone or in combination therewith, does not disclose nor make obvious the combination as claimed by applicants.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alfred Basichas whose telephone number is 571 272

Application/Control Number: 10/729,810 Page 4

Art Unit: 3749

4871. The examiner can normally be reached on Monday through Friday during regular business hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ira Lazarus can be reached on 571 272 4877. The fax phone numbers for the organization where this application or proceeding is assigned are 703 872 9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Tech Center telephone number is 571 272 3700.

March 11, 2005

Alliged Basichas Primary Examiner